

DESIGN GUIDELINES

for the

HOME PLACE RANCH COMMUNITY

**as set forth by the Architectural Review
Committee of the TriView 3 Metro
District**

Adopted November
2023

TABLE OF CONTENTS

ARTICLE I General Information..... 1

 Section 1.1 The Purpose..... 1

 Section 1.2 Legal Authority 1

 Section 1.3 Supplemental Guidelines to City, County & State Regulations 1

 Section 1.4 Recommendation for Professional Guidance 1

 Section 1.5 Non-liability 2

 Section 1.6 Aesthetic Considerations..... 2

 Section 1.7 Administration of the Design Guidelines..... 2

ARTICLE II Design Review Procedures..... 3

 Section 2.1 Submission of Drawings and Plans 3

 Section 2.2 Architectural Plan Review 3

 Section 2.3 Landscape Plan and Other Site Improvements Review..... 4

 Section 2.4 Revisions and Additions to Approved Plans 5

 Section 2.5 Action by the ARC.....5

 Section 2.6 Certification of Accuracy..... 5

 Section 2.7 Review of Work in Progress 6

 Section 2.8 Rights of Appeal 6

 Section 2.9 Effect of Governmental and Other Regulations 6

 Section 2.10 Period of Plan Validation 6

ARTICLE III Improvement Standards 7

 Section 3.1 Zoning 7

 Section 3.2 Building Setbacks 7

 Section 3.3 Maximum Building Coverage 7

 Section 3.4 Home Size 7

Section 3.5 Streetscape Variety	7
Section 3.6 Grading and Drainage	7
Section 3.7 Erosion Control	8
Section 3.8 Driveways and Parking	8
Section 3.9 Garage Doors	8
Ancillary Improvement Standards	8
Section 3.10 Accessory Structures.....	8
Section 3.11 Air Conditioning Equipment	9
Section 3.12 Awnings/Patio Covers/Shutters	9
Section 3.13 Exterior Lighting	9
Section 3.14 Fencing.....	9
Interior Rear Yard Fencing	9
Dog Run Fencing.....	10
Section 3.15 Hot Tub/Jacuzzi.....	10
Section 3.16 Painting/Repainting.....	10
Section 3.17 Play and Sports Equipment	10
Section 3.18 Satellite Dishes/Antennae	11
Section 3.19 Screen/Security Doors and Windows.....	11
Section 3.20 Signs/Address Numbers	12
Section 3.21 Solar Equipment/Skylights	12
Section 3.22 Swimming Pools	12
Section 3.23 Trash Receptacles	12
Section 3.24 Yard Ornaments.....	12
Architectural Standards	13
Section 3.25 Architectural Style.....	13

Section 3.26 Massing	13
Section 3.27 Architectural Detailing.....	13
Section 3.28 Maximum Building Height.....	13
Section 3.29 Exterior Materials	13
Section 3.30 Roof Form & Material	14
Section 3.31 Decks.....	14
Section 3.32 Patios, Decks and Paving Materials	14
Section 3.33 Retaining Walls.....	14
Section 3.34 Vegetable Gardens.....	14
Section 3.35 Landscaping.....	15
Section 3.36 Landscape Maintenance	15
Miscellaneous Other Restrictions	16
Section 3.37 Concrete Equipment.....	16
Section 3.38 Pets.....	16
Section 3.39 Animals	16
Section 3.40 Pet Noise	16
Section 3.41 Pet Waste	16
Section 3.42 Subdividing of Lots	17
Section 3.43 Maintenance Equipment.....	17
Section 3.44 Structure Encroachments.....	17
Section 3.45 Encroachments.....	17
ARTICLE IV Construction Period Regulations.....	17
Section 4.1 OSHA.....	17
Section 4.2 Construction Hours	17
Section 4.3 Construction Access	17

Section 4.4 Excavation.....	17
Section 4.5 Debris and Trash Removal.....	18
Section 4.6 Vehicles and Parking	18
Section 4.7 Pets on Construction Sites	18
Section 4.8 Blasting	18
Section 4.9 Restoration and Repair.....	18
Section 4.10 Dust, Noise and Odor.....	18
Section 4.11 Prohibited Uses and Activities	18

ARTICLE I
GENERAL INFORMATION

Section 1.1 The Purpose.

The developers of the Home Place Ranch Community, located in El Paso County, Colorado, hereinafter (“Home Place Ranch”) recognized the natural beauty of this site and commissioned a development plan that conserves many of its distinctive features. To ensure that a quality environment is both created and maintained, these “Design Guidelines” have been adopted. The Design Guidelines are a tool to be used by the designated Architectural Review Committee (referred to as the “ARC” hereafter) to guide development in a sensible, managed process while still allowing for individual freedom of expression.

These Design Guidelines pertain to all site and building development and have been adopted to provide a basis for consistency of development at Home Place Ranch. As such, these guidelines are just that—guidelines; clear and concise enough to give a strong direction, yet flexible enough to be adapted to different sites and different development programs. It will be the express purpose of the ARC to consistently and reasonably interpret these guidelines.

The Design Guidelines provide a framework for site development and architectural appearance, with the goal to minimize harsh contrasts in the landscape, to conserve pleasing and significant natural systems, and to encourage unassuming architecture appropriate to this unique environment.

Section 1.2 Legal Authority.

Authority for design review is grounded in the governing documents for this community, specifically the Service Plan for the TriView 3 Metro District (the “TV3MD”) which shall have the authority to enforce any covenants or design criteria for the community. Property owners should refer to the recorded plat and development plans, the Articles, Bylaws, Design Guidelines, Rules and Regulations (if any) and Resolutions adopted by the Board of the TV3MD. Under the terms of this document, the Board of the TV3MD hereby adopts these Design Guidelines as the basis for all design Review which will be handled by the ARC of TV3MD. Should these guidelines be revised, such revisions shall then take precedence over previous versions of the guidelines. The TV3MD shall govern all decisions should any discrepancies occur between these Guidelines and other recorded documents.

Section 1.3 Supplemental Guidelines to City, County & State Regulations.

These Design Guidelines are supplemental to regulations normally in effect for this property, including the Town of Monument Zoning and Subdivision Regulations and applicable federal and state regulations as well as pertinent building codes. All construction shall comply with these Design Guidelines and all other applicable

regulations including but not limited to the Pikes Peak Regional Building Department (PPRBD).

Section 1.4 Recommendation for Professional Guidance.

It is strongly recommended that all persons proposing any construction subject to review under these Design Guidelines seek the assistance of a qualified design professional with skills appropriate to the task at hand, such as an architect, landscape architect, civil engineer, surveyor, etc.

Section 1.5 Non-liability.

ARC approval pursuant to these Design Guidelines does not approve or guarantee engineering design or compliance with law and applicable governmental ordinances or regulations (such as zoning or building ordinances), and does not reflect any representation by the ARC, its members, the Board, the Association or the Declarant to assume any liability or responsibility for an applicant’s engineering design compliance with any applicable laws, governmental ordinances or regulations, or any other matter relating thereto, other than these Design Guidelines. All applicants are encouraged to contact the Monument Planning Department and the PPRBD for information regarding applicable governmental requirements, regulations and permit matters. Neither the ARC, its members, the Board, the Association, the Declarant, nor any of their successors, assigns, agents, employees or officers, shall be liable to any Owner or other person for any damage, loss, or prejudice suffered or claimed on account of:

1. approval or disapproval of any plans,
2. performance of any work, whether or not pursuant to approved plans, drawings and specifications; or
3. development of any property within the subdivision.

Section 1.6 Aesthetic Considerations.

Aesthetic considerations relating to any improvement or other matter that is addressed in these Design Guidelines are within the scope of the design review process, and the ARC may deny or condition any application or request before it on the basis of aesthetic considerations, including the design theme for the development and specific areas within the development as well as the aesthetic consistency of a proposed improvement or other matter with the surrounding landscape.

Section 1.7 Administration of the Design Guidelines.

In order to maximize aesthetic benefits to the neighborhood and to bolster property values, all proposed exterior home improvements and site improvements will be evaluated by the ARC using these Design Guidelines. It is the responsibility of the ARC to ensure that all proposed improvements meet or exceed the requirements of these Design Guidelines and to promote the highest quality design for this neighborhood. The ARC will aid the Builder and Owner in meeting these standards.

ARTICLE II
DESIGN REVIEW PROCEDURES

Section 2.1 Submission of Drawings and Plans.

All Builders, Owners, contractors, subcontractors and/or their designated representatives shall comply with the following Design Review Procedures in order to gain approval for any improvement to property within the Home Place Ranch Community. All construction that is to be undertaken in these neighborhoods, whether new residential construction, subsequent exterior renovations, remodels, or home site improvements, including but not limited to, walks, driveways, drainage, fencing, lighting, landscape planting or other exterior improvements, is subject to review and approval under these Design Guidelines. Unless otherwise specifically stated herein, drawings or plans for a proposed improvement must be submitted to the ARC and the written approval of the ARC must be obtained before the improvements are made. The ARC shall not charge any fees for review however any reasonable engineering, consulting or other fee incurred by the ARC for reviewing any proposed improvement will be assessed to the Owner requesting approval.

Section 2.2 Architectural Plan Review.

For new building construction or major improvements, such as room additions, remodels or structural changes, the Builder or Owner shall submit to the ARC one (1) set of construction documents to include the following:

1. One set of architectural plans at a scale of 1/4" = 1'0", including:
 - a Architectural elevations (front, sides and rear).
 - b Floor plans, including square footage for each floor.
 - c Roof plans indicating pitches, ridges, valleys and location of mounted equipment.
 - d Indication of all proposed exterior materials including proposed colors.
 - e Exterior details, including items such as chimneys, exterior stairs and decks, and railings.
 - f Any other proposed improvements (i.e., decks, awnings, hot tubs, etc.)
2. Site Plan of the lot, at a scale of 1" =20' or 1" =30', including:
 - a Lot lines and dimensions, building setbacks, street right-of-way, curb lines and easements.

- b Existing and proposed contour lines at 2' intervals extending to all property lines, existing or proposed street elevations, finish grade at building corners, and drainage swales may be required. Finish floor, and garage slab elevations also may be required.
 - c Building footprint, including finish floor and garage elevation.
 - d Walks, driveways, decks, accessory structures, dog runs or privacy fencing, retaining walls with top and bottom of wall elevations.
3. Upon a Builder receiving approval from the ARC for a particular Master Plan model, subsequent submissions to the ARC for the same model shall require the ARC to only consider the location of the improvements upon the lot, compatibility of the model to the particular lot and proximity to the same model on other lots. Further, subject to the review set forth in this Section, 2.2, a Builder may seek pre-approval from the ARC for a particular model or models.

Section 2.3 Landscape Plan and Other Site Improvements Review.

Approval shall be obtained prior to installation, modification, removal or replacement of any landscaping or any other site improvements including, but not limited to, pet enclosures, play & sports equipment, fencing, deck or patio additions, site lighting, etc. In most cases, the materials to be submitted will not have to be professionally prepared by an architect, landscape architect, or draftsmen, but at a minimum shall be drawn to scale and shall have sufficient detail to permit a comprehensive review by the ARC. The following guidelines should be utilized in preparing drawings or plans:

The drawing or plan should be done at a scale of 1" = 20' or 1" = 30' and should depict the property lines of the lot and the "footprint" of the home as located on the lot. Existing improvements, in addition to the home, should be shown on the drawing and identified. Such existing improvements include driveways, walkways, decks, trees, shrubs, etc.

- 1. All proposed plant locations, types, quantities and sizes; location of turf and other ground cover materials should be shown on the plan and labeled. The plan should exhibit grading and layout of all additional landscape improvements such as berms, walks and structures not covered under the approved Plot Plan Review.
- 2. Plans for any other site improvements, such as play/sports equipment, dog runs, hot tubs, trellises, retaining walls, lighting, gazebos, etc. should be shown on the plan with a description of the proposed improvement, including the materials and colors to be

used. In the case of structural improvements (trellises, gazebos, etc.), an elevation drawn to scale of the proposed improvement is required.

3. In addition to lot specific landscape plans, builders may provide and receive advanced approval for lot typical plan. Due to the varied size and types of lots, a “typical plan” must cover the different conditions that will be encountered such as “Narrow front/wide rear”, Wide Front/Narrow Rear”, and “Corner Lots”

Section 2.4 Revisions and Additions to Approved Plans.

Any revisions and/or additions to the approved architectural or landscape plans made by either the Builder, Owner, or as required by the Town of Monument, must be resubmitted for approval by the ARC. The revised plans must follow the requirements outlined above. The ARC will then review the plans and provide a written response no later than 30 days after the submittal.

Section 2.5 Action by the ARC.

The ARC will meet as needed to timely review all plans submitted for approval. The ARC may require submission of additional materials and may postpone action until all required materials have been submitted. The ARC will contact the applicant, in writing or by phone, if additional materials are necessary or if the ARC needs additional information or has any suggestions for change. The ARC will approve or disapprove the plans in writing within thirty (30) days after receipt of all materials required by the ARC (unless the time is extended by agreement). If a written response by the ARC is not received within the 30-day period, the application will be deemed disapproved. For initial submittal of house plans, elevations, and colors by Builders who have purchased 10 or more lots at Home Place Ranch for sale to third party buyers the ARC will provide initial approval or disapproval of submitted such plans within five (5) business days of receipt.

Section 2.6 Certification of Accuracy.

The ARC, in its sole discretion, may require the Builder to provide a Certificate of Accuracy from a registered licensed surveyor (hired by the Builder) attesting to the accuracy of the following:

1. The building foundation is located as approved (+/- 6” tolerance) by the ARC in the final approved plans.
2. The building foundation elevation is as approved (+/- 6” tolerance) by the ARC in the final approved plans.
3. The certificate must be in the form of an improvement survey showing dimensions of foundation to property lines and elevations (related to USGS datum or equivalent benchmark) of top of foundation walls. Points at which elevations are taken must be clearly identified and correlate with location of top of foundation as shown on the final approved plans.

Section 2.7 Review of Work in Progress.

The ARC shall have primary authority to enforce the provisions of these Design Guidelines. The ARC may review all work in progress to the extent required to ensure that the construction or work complies with any and all approved plans and construction procedures. Absence of such reviews or notification during the construction period does not constitute either approval by the ARC of work in progress or compliance with these Design Guidelines. The ARC may withdraw approval of any project and require all activity at such project to be stopped if deviations from the approved plan or approved construction practices are not corrected or reconciled within ten (10) days after written notification to the Builder or Owner specifying such deviations or such longer period as the ARC may specify. Any ARC visits are in addition to standard inspections required by other jurisdictions throughout the construction process.

Section 2.8 Rights of Appeal.

Any Builder or Owner aggrieved by a decision of the ARC may appeal the decision to the Board of the TV3MD in accordance with procedures to be established by the Board. Such appeal shall be in writing and shall be filed within 30 days after the decision of the ARC. If the decision of the ARC is overruled by the Board on any issue or question, the prior decision of the ARC shall be deemed modified to the extent specified by the Board and such decision, as so modified, shall thereafter be deemed the decision of the ARC. If not appealed, or as so modified or affirmed, the decision of the ARC shall be conclusive and binding on all interested parties.

Section 2.9 Effect of Governmental and Other Regulations.

Approval of plans by the ARC shall not be deemed to constitute compliance with the requirements of any local, zoning, safety, health or fire codes, and it shall be the responsibility of the Builder, Owner or duly authorized representative submitting plans to assure compliance with all applicable rules and regulations. Nor shall any approval waive any requirements on the part of the Builder, Owner or their representative to comply with setbacks, height restrictions, or other requirements unless such waiver or variance is specifically requested at the time of submittal and provided that the waiver or variance may properly be granted by the ARC and the Town of Monument, where applicable.

Section 2.10 Period of Plan Validation.

Final approval of plans is valid for twelve (12) months unless otherwise agreed to by the ARC and the Builder or Owner in writing. Construction must begin within this period. If not, plans must be resubmitted for review by the ARC. A submittal proposing a different dwelling for the same home site requires resubmittal of plans following the requirements as outlined above

ARTICLE III
IMPROVEMENT STANDARDS

Section 3.1 Zoning.

The Home Place Ranch Community, a single-family residential development, is zoned within the Town of Monument.

Section 3.2 Building Setbacks.

Building setbacks shall comply with the site -specific setbacks shown on the Development Plan for each specific filing as approved by the Town of Monument. Where lot terrain dictates, the ARC may consider the Town of Monument setback requirement as the minimum standard for any structure. A variance to the Town of Monument setbacks can only be granted by the Town of Monument. A Town of Monument-approved variance to the setback requirement may also require the approval of the ARC.

Section 3.3 Maximum Building Coverage.

In conformance with the applicable Development Plan for Home Place Ranch, the maximum coverage of the Lot by structure(s) shall comply with the Town of Monument’s development standards.

Section 3.4 Home Type and Size.

In order to preserve the unique views of Home Place Ranch no two-story above ground homes are allowed to be constructed on any street corner lots or Villa lots (Home Place Ranch Fil No. 1 Lots 1 – 64). Two story residences may be constructed on any other lot with prior ARC approval. The following minimum standards must be met for house size (i.e., square footage of ground floor or footprint exclusive of open porches, basements and garages)

One story	1200 square feet
Two or more stories	2000 square feet

Additionally, some filings may include minimum width requirements for the front elevation.

Section 3.5 Streetscape Variety.

Model Repetition: Within the development, repetition of models is permitted, subject to the requirements set forth in this Section. In order to maintain architectural variety within the neighborhoods, the same house plan may not be constructed on two adjacent lots, left or right, nor may be constructed directly across the street. The ARC may also impose additional requirements on the side and rear elevation of the same model adjacent to one another in areas of increased visual exposure such as but not limited to corner lots and

walkout lots. Homes with the same elevation and plan must have a minimum of two lots between one another when on the same side of the street and are not permitted across the street from each other if any portion of the lots overlap.

Exterior Color Repetition: Within the development, repetition of colors is permitted subject to the requirements set forth in this Section. In order to maintain architectural variety within the neighborhoods, the same body color may not be on two adjacent homes, left or right, nor may the same body color be on a home across the street if the lots overlap by more than 50%.

Section 3.6 Grading and Drainage.

All buildings must be designed to fit the finish contours of the lot without excessive grading. Where grading is necessary, cut and fill slopes should generally be kept to 3:1 with a maximum of 2:1. Retaining walls may require ARC approval and should be utilized where slopes would exceed 2:1. No grading shall extend beyond existing property lines of the home site without expressed written permission of the ARC and the adjacent property owner.

Section 3.7 Erosion Control.

During all site construction, techniques for controlling erosion within the home site and onto other sites shall be mandatory and strictly enforced by the ARC. Techniques include the use of sedimentation basins, filtration materials such as straw bales or permeable geotextiles, and slope stabilization fabrics or tackifiers. All builders are required to follow all applicable governmental regulations regarding erosion control, including but not limited to having all state and/or local storm water permits.

Section 3.8 Driveways and Parking.

Driveways shall be paved. Materials and colors other than grey concrete will require ARC approval before installation. Extension or expansion of driveways requires ARC approval. Any approved driveway expansion shall not be intended to promote the parking or storage of any vehicle off the driveway on a side yard. The ARC will review requests for circular driveways on a case-by-case basis with consideration given to, but not necessarily limited to, the setback of the home from the street, and the size of the lot and distance of street frontage. On corner lots, the driveways should be set back from the corner a minimum of 30 feet from the intersection of the corner street. The width of the driveway shall not exceed 24 feet at the curb.

Section 3.9 Garage Doors.

Garage doors shall be kept closed except when being used to permit ingress and egress to or from the garage in an effort to deter unwanted neighborhood theft and maintain a pleasing appearance at the front of the residence, unless the garage is being actively attended for cleaning, etc.

Ancillary Improvement Standards

All of the following ancillary improvements require ARC approval unless specifically noted otherwise:

Section 3.10 Accessory Structures.

Accessory structures such as storage sheds, gazebos, greenhouses, etc. shall be located in the rear yard or in a location not prominently visible to the street or adjacent homes and shall adhere to the standards of site development and architectural standards provided herein or otherwise by the TV3MD. Carports are prohibited. Requests for approval for accessory structures will be reviewed on a case-by-case basis, taking into consideration the exterior finish, colors, lot size, square footage of the home and proposed location of the accessory structure, etc. Gazebos must be an integral part of the landscape plan. Accessory structures are limited to one story as defined by PPRBD and shall not exceed 10' without ARC approval. Accessory Dwelling Units ("ADU"), which are integrated or detached secondary living areas on a residential lot, with a maximum size of 450 sq feet and architectural elements complimentary to the primary dwelling may be approved to be located in the rear yard on a case by case basis by the ARC. Setbacks for any ADU would require a minimum setback of 10' from the side and 20' from the rear property lines. Accessory Family Suites ("AFS") which are integrated into the principal residential structure, are one or more rooms forming a single habitable area and may contain a kitchen and bathroom. An AFS and/or ADU would be permitted with prior ARC approval and compliance with applicable El Paso County and Town of Monument rules and regulations.

Section 3.11 Air Conditioning Equipment.

Ground level and window air conditioning units, including swamp coolers, must be installed on the main level of the home only, located only in a side or rear yard behind privacy fencing and must be substantially screened from adjacent properties.

Section 3.12 Awnings/Patio Covers/Shutters.

Awnings, patio covers and shutter colors must be complementary to the exterior color of the home. Patio covers must be constructed of wood or material generally complementary to the home and be similar or complimentary in color. Where utilized, support posts for patio covers must be a minimum of 4"x 4" in size. Unacceptable awning treatments include thin wood lattice, metal, plastic, and untreated or striped fabric. Awnings must be maintained in like-new condition.

Section 3.13 Exterior Lighting.

ARC approval is required to change or add any exterior lighting. In reviewing lighting requests, the ARC will consider the visibility, style, location and quantity of the light fixtures. Exterior lighting for security and/or other uses must be directed towards the ground and house whereby the light cone stays within the property boundaries and the light source does not cast glare onto adjacent properties.

Section 3.14 Fencing.

Interior Rear Yard Fencing

- A. All interior rear yard fencing shall be split three (3) rail fence constructed of brown precast concrete. The maximum height for such fencing is four (4) feet, with standard metal gate as needed.
- B. Where a lot fence meets a community wall, the lot fence must be at or below the community wall height for a minimum of 8’.
- C. Fencing must be set back a minimum of 15’ from the front corner of the home. Typical location should be within 15’ of the rear of the home. Fencing must be set back a minimum of 15’ from the back of curb of all streets or 5’ from the back of sidewalk, whichever is greater.
- D. Wing fencing should match the setback of existing wing fencing on the adjacent property where feasible.
- E. Fencing must be maintained in a like-new condition. Individual lot owners are responsible for the maintenance of their lot fencing and the inside of Community walls on their Lot.

Dog Run Fencing: The ARC encourages the use of underground (“invisible”) dog run fences to promote the open character of the neighborhood. The ARC may allow above ground dog run fencing on a case-by-case basis. The location and size of the dog run will be determined with consideration given its impact on adjacent properties and streets. Chain link and chicken wire are expressly prohibited.

Section 3.15 Hot Tub/Jacuzzi.

Installation of hot tubs and Jacuzzis require prior ARC approval. They should be designed as an integral part of the deck or patio area and must be located in the side or rear yard area. It must be installed in such a way that it is at least partially screened from adjacent properties.

Section 3.16 Painting/Repainting.

ARC approval is required for all exterior painting or repainting of the home and accessory improvements, except repainting in the same colors. The submittal must contain the manufacturer’s paint chips with name and code number. Approval will take into consideration, but not be limited to, the color tone and brightness, the home’s architecture, stone or brick accents, roofing color, compatibility with other body/trim colors, and the colors of neighboring properties. All exterior finishes should be subdued earth tones such as gray, green, brown, muted blues or other similar colors. White, primary colors, and other bright colors shall be permitted as accent colors only. Downspouts must be painted to match the body, fascia, or trim color of the home.

Section 3.17 Play and Sports Equipment.

All play structures and equipment, both permanent and portable, are required to be approved by the ARC for design, size, and placement prior to installation. All play/sports equipment) is to be placed to minimize its visual impact from adjacent properties. Play equipment should typically be located in rear yard areas and set back a minimum of ten (10) feet from property lines unless otherwise approved by the ARC. Free standing basketball nets, poles and backboards are not allowed.

Consideration shall be given to the location of play equipment so as not to create an undue disturbance on neighboring properties. Play equipment shall be of predominantly muted, earth tone colors (brown, black, dark green) and shall not exceed eight (8) feet in height unless otherwise approved by the ARC. Play equipment or items used for front or unenclosed rear or side yard play should be stored out of view when not in use. Out of view shall be defined as within the confines of the home or garage or within the confines of a fenced back yard.

Any type of play set, swing set or trampoline must be properly screened as a condition of approval in order to ensure that no unauthorized access is permitted. Properly screened shall be defined as within a completely fenced yard where the fencing is in compliance with the Association's design guidelines. Trampolines must be installed at grade level to minimize visual and auditory impact on neighboring Lots. No color, other than black or dark green shall be permitted on any play set, swing set or trampoline unless the color is screened from neighboring lots by a privacy fence around the back yard. Unattended play equipment located in the street is subject to regulation by the Town of Monument.

Section 3.18 Satellite Dishes/Antennae.

In compliance with the Telecommunications Act of 1996, one satellite dish/antennae may be installed on a residential lot subject to the following conditions:

1. Intent of installation shall be registered with the ARC prior to installation (see Registration form in the Appendix).
2. The satellite dish/antennae measure one meter or less in diameter.
3. To the extent feasible, the satellite dish/antennae shall be placed in the rear or side yard in such a manner that it is screened from adjacent street(s) and neighboring properties.
4. The satellite dish/antennae shall be installed at the lowest possible placement, utilizing ground level sitting (unless a signal is unattainable).

Section 3.19 Screen/Security Doors and Windows.

ARC approval is not required for the addition of screen doors or storm windows added to a home if the material and color matches or is similar to existing doors and windows on the home. The ARC must approve security treatments (but not security systems) for doors and

windows.

Section 3.20 Signs/Address Numbers.

One (1) temporary sign advertising the real property for sale which is no more than six square feet in size, the style of which is compatible with the appearance of Home Place Ranch, may be installed on the Lot without ARC approval. At no time may such signage be installed upon any common area or fencing.

All trade signs, which include, but are not limited to, landscaping, painting, remodeling, etc., may only be displayed while work is in progress and must be removed upon completion of the job. The ARC, on a case-by-case basis, shall consider a request for placement of one additional temporary sign due to unique circumstances. The ARC must approve all other signs, including address numbers and nameplate signs. The ARC, on a case-by-case basis, will consider lighted signs.

Section 3.21 Solar Equipment/Skylights.

ARC approval is required for installation of all solar equipment and skylights. Solar equipment and skylights shall be incorporated into the structure and building's mass and be architecturally compatible with the residence.

Section 3.22 Swimming Pools.

Swimming pools are not allowed at Home Place Ranch without prior ARC approval, except that non-permanent, toddler or pet splash kiddie pools less than 6' in diameter and 1' depth may be temporarily used in the fenced back yard areas.

Section 3.23 Trash Receptacles.

Owners are to store their trash containers in the garage, or secured and screened behind privacy fencing, except for the day of collection services. All containers are to have attached lid and be secured to prevent them from blowing away. Recycling containers must be maintained in a likewise manner.

Section 3.24 Yard Ornaments.

Yard ornaments, including but not limited to, birdbaths, birdhouses, fountains, sculptures, statues, flags and banners, etc. require ARC approval. Location of yard ornaments in the front yard is discouraged. Flagpoles shall be considered on a case by case basis. Owners may display American flags in accordance with the Federal Flag Code. Owners may not display more than one (1) political sign per ballot issue or office and not earlier than 45 days before and seven days after any election.

Architectural Standards

Section 3.25 Architectural Style.

No mandatory architectural style is required for Home Place Ranch. However, it is the intent of these standards that residential design solutions develop proportions and details

appropriate to the home site and neighboring properties. To this end, careful scrutiny will be given to the massing, proportions, overall scale and the homes' materials, color and textures. To accomplish this goal, the following minimum architectural standards shall apply to both new home construction and home remodels or renovations.

Section 3.26 Massing.

In reviewing the forms of a proposed building, careful scrutiny will be given to the massing, proportions, and overall scale of the building in relation to the building site. The ARC will encourage designs that reduce building scale and increase individuality and diversity.

The walls of a building are an important part of its overall visual impact and should be carefully detailed. Exterior materials should be consistently used throughout the building. The connection from the walls to the foundation should be treated such that the foundation becomes a very minor element. Location, type and size of window openings should be carefully considered for effect on proportions, continuity, and illumination. Entries should be well articulated. Covered entries and recessed openings at doors and windows are strongly encouraged. Homes situated on highly exposed sites (i.e. corner lot, double fronted lot) may require additional architectural features on the elevations that are highly visible.

Section 3.27 Architectural Detailing.

In order to add definition and break up flat planes of walls, the use of architectural elements to create shadow lines is encouraged to be incorporated in the design of the home. Architectural elements to accomplish this definition include recessed windows, deep eaves and offset wall planes window shutters, well-proportioned porches with brackets, trellises and arbors, decks, detailed fascias, belly bands, etc.

Section 3.28 Maximum Building Height.

Building height and profile should be in scale with the surrounding structures and topography. The maximum building height shall be in conformance with the Town of Monument development standards.

Section 3.29 Exterior Materials.

Use of bright, unfinished, colored, and reflective or mirrored surfaces or glass is not permitted. Exposed concrete foundation walls shall be minimized by grading, retaining walls or landscaping. The maximum width of masonry or wood lap siding is nine inches (9"). There must be a minimum of two (2) different materials used on the front elevations.

Section 3.30 Roof Form & Material.

The roof form is the most prominent visual element of a home and central to define its architectural character. Therefore, the form and materials used to create a building's roof will be carefully reviewed by the ARC. Styles such as gable, hip and shed roofs will

generally be acceptable for residential construction, while mansard, gambrel, flat and A-frame roofs are strongly discouraged. Care must be given when combining roof forms to maintain the integrity of the architectural forms. Well-detailed fascia and eaves treatment serve to frame the roof as a strong design element. Roofing materials must be considered with respect to harmony of color and texture with other materials on the home and adjacent properties.

Concrete tile or slates and composition shingles along with metal roofing, are acceptable roofing materials.

All extensions from the roof, such as chimneys, flues, roof vents, gutters, skylights, etc. must be carefully located and finished to complement other elements of the design.

Unfinished and exposed metal detailing should be painted. When possible, flues and vents should be located out of view of the front of the home.

Section 3.31 Decks.

Decks must maintain the overall form and be a natural extension of the architecture. Deck posts must have a minimum 12" dimension, when applicable.

Section 3.32 Patios, Decks and Paving Materials.

Outdoor living areas are encouraged. Patios, decks and other paving materials should be compatible and harmonious in color and texture with the structure and surrounding neighborhood and must be an integral part of the landscape architectural design.

Section 3.33 Retaining Walls.

Retaining walls may be used to accommodate or create changes in grade. Walls must be properly anchored to withstand overturning forces and should incorporate weep holes into the wall design to permit water to be released behind them. Walls should not exceed four feet in height unless specifically approved and should be located so as to not alter existing drainage patterns.

The use of rock boulders, stone, and/or masonry is required.

Section 3.34 Vegetable Gardens.

Vegetable gardens must be located in the rear or side areas of the home site so that both the garden and its accessory operating areas are substantially screened from view of adjacent homes and public areas.

Section 3.35 Landscaping.

All portions of a Lot not improved with the Home, driveway, walkways, patios or decks (referred to as the unimproved area of a Lot) shall be landscaped by the Owner; provided, however, that this obligation shall not apply to any Lots landscaped by Declarant, Builders, or their assignees. All landscaping shall be installed in accordance with landscaping plans submitted to and approved by the ARC, which plans shall be drawn to scale and shall set forth the location of landscaping, type of landscape materials, and be

in accord with the requirements of this section. The ARC may impose a fee for review of homeowner changes, including modification to landscaping plan. Whether landscape is provided by the Builder or the responsibility of the Owner where not included by Builder, the front and back yards of each Lot improved with a Home shall be fully landscaped no later than six (6) months (weather permitting) after the date of conveyance from a Builder or its assignee to an Owner.

Front Yard. It is recommended that a maximum of thirty percent (30%) of the front yard of each Lot shall be landscaped utilizing “long lived” ground cover such as bluegrass or brome fescue. Landscape rock shall be installed in the area between the sidewalk and streets. At least two (2) trees, which shall be a minimum 1 1/2- inch caliper deciduous tree or an evergreen tree of at least six (6) feet in height, must be planted in the front yard. Any lots less than 5,000 square feet or located on the corner of two streets will require only one (1) tree, which shall be a minimum 1 1/2- inch caliper deciduous tree or an evergreen tree of at least six (6) feet in height. The front yard must contain a minimum total of nine 5-gallon size bushes and eighteen 1-gallon size bushes, ornamental grasses or perennials.

The front yard of each Lot is defined as that area between the Street and a line extended from the front corners of the Home to each side Lot line. The landscaping plan shall include an adequate underground sprinkler system, which shall be installed at the time of initial landscaping.

Back Yard. The back yard of each Lot shall be landscaped with turf, landscape rock, or utilizing “long lived” ground cover such as bluegrass or brome fescue, or ARC -approved artificial turf.

The quantity of rear yard bushes, ornamental grasses or perennials is at the discretion of the builder or homeowner.

The Metro District and/or the ARC, if it is elected, has the right to enforce the landscape requirements and may fine Owner an amount set by the Metro District or ARC, who fail to comply after thirty (30) days written notice that they are in violation of the landscape requirements. Owners may ask for a weather exemption to last no more than 6 months, if the time of year, such as winter, would not be appropriate for planting.

Section 3.36 Landscape Maintenance.

All landscaping shall be maintained in a neat and attractive condition. Minimum maintenance requirements include watering, mowing, edging, pruning, removal and replacement of dead or dying plant material, elimination of weeds and undesirable grasses and removed of trash.

Miscellaneous Other Restrictions

Section 3.37 Concrete Equipment.

Concrete equipment cleaning or dumping shall be prohibited, except where provided (See Sect. 4.11)

Section 3.38 Pets.

Domesticated birds or fish and other small domestic animals permanently confined indoors will be allowed. No other animals, except an aggregate of not more than four (4) domesticated dogs or cats (which must be fenced or restrained at all times within the Lot), will be permitted within the Property. No animal of any kind shall be permitted which, in the opinion of the ARC, makes any unreasonable amount of noise or odor, or is a nuisance and as may be further outlined in the service plan. Chicken coops are not allowed, chickens, roosters and other traditionally domesticated fowl are not permitted to be kept on the property as pets or for business or commercial venture.

Section 3.39 Animals.

No animals shall be kept, bred, or maintained within the Property for any commercial purposes. Pets are not to be allowed to run freely throughout the community, whether unattended or under the direct control of its owner. When off an Owner's Lot, all Pets must be leashed with the leash in the hands of a responsible individual. In accordance with City code, animals must be kept under control for their own protection and to preserve the public's health and safety. Dogs, cats, and other animals found off the owner's or keeper's property are called strays and may be impounded. The owner or keeper may also be fined pursuant to City code and the Association's Covenants.

Section 3.40 Pet Noise.

Incessant barking can be very disturbing to the peace and quiet of a neighborhood. In addition, it is a violation of City code to harbor such a disturbance. City code states it shall be unlawful for any person to own or keep any pet which by barking, howling, yelping, crying, or other utterance disturbs the peace and quiet of the neighborhood. If such barking occurs, residents are encouraged to contact the Town of Monument for enforcement of the City's code.

Section 3.41 Pet Waste.

Pet owners are expected to pick up and properly dispose of any feces deposited by their dogs within the Community Area. An additional assessment of \$20.00 may be imposed for each failure of a member (or any of their family, guests, or invitees) to pick up and properly dispose of any feces left in the Community Area by any dog owned by them or under their control. This assessment is intended to defray the actual cost incurred by the Association in removing dog feces from the Community Area and to repair damaged caused to landscaping, etc.

Section 3.42 Subdividing of Lots.

No lot may be subdivided into two or more lots.

Section 3.43 Maintenance Equipment.

All maintenance equipment shall be stored in an enclosed structure or otherwise adequately screened so as not to be visible from neighboring properties or adjoining streets.

Section 3.44 Structure Encroachments.

Encroachments of structures or any other item onto an Association Property will not be allowed.

Section 3.45 Encroachments.

Encroachments onto Association Properties will not be allowed.

ARTICLE IV
CONSTRUCTION PERIOD REGULATIONS

In the interest of all Builders and Owners, the following regulations shall be enforced during the construction period. These regulations shall be a part of the construction documents contract for each residence, and all Builders and Owners shall abide by these regulations.

Section 4.1 OSHA.

All applicable OSHA regulations and guidelines must be strictly observed at all times.

Section 4.2 Construction Hours.

Construction hours shall be between the hours of 7:00 a.m. and 7:00 p.m., Monday through Saturday.

Section 4.3 Construction Access.

Declarant or the ARC may designate specific access points for exclusive and limited use by construction vehicles.

Section 4.4 Excavation.

During initial construction of the Home Place Ranch development excess dirt is required to be kept within the overall development. Excess excavation material removed from the home sites shall not be placed in common areas or on roads. The ARC, at its discretion, may identify a site within Home Place Ranch where Builders and/or Owners, at their sole cost, will be required to dump and store excess dirt and fill materials. The ARC may change the dirt storage place at any time and may also stop receiving excess dirt and fill and require Builders and/or Owners to transport excess dirt and fill off site at their expense. Excavation, except for utility trenching, shall be on the Owner's home site only. Contractors are prohibited from spreading excess debris or material over the remainder of the home site, roadway, other property, or any other home site without approval. Extreme care shall be taken by Builders and Owners to protect and preserve existing vegetation and other natural features on their lots.

Section 4.5 Debris and Trash Removal.

Regular cleanup of the construction home site is mandatory. All trash and debris shall be stored in a commercial trash container and shall be removed from the trash disposal area on a weekly basis or when full. All soil and debris flowing into the street(s) or open spaces from the construction home site shall be cleaned as needed. All trash must be

disposed of off home site on a weekly basis. A fine may be imposed by the ARC for noncompliance with these requirements.

Section 4.6 Vehicles and Parking.

All vehicles must be parked so as not to inhibit traffic or damage surrounding natural landscape. Construction worker vehicles and/or equipment shall not be left on community roads overnight. The ARC may designate, at time of plan review or during construction, specific areas for parking of construction workers vehicles and/or equipment.

Section 4.7 Pets on Construction Sites.

Contractors, subcontractors, and employees are prohibited from bringing dogs and other pets to the construction site.

Section 4.8 Blasting.

If any blasting is to occur, the contractor shall be responsible for informing all resident in the proximity of the blasting home site.

Section 4.9 Restoration and Repair.

Damage to any property other than the Lot Owner's shall be promptly repaired at the expense of the person or entity causing the damage.

Section 4.10 Dust, Noise and Odor.

Every effort shall be made to control dust, noise (including the personal use of radios, CD and tape players), and odor emitted from a construction area. The contractor will be responsible for watering, screening or oiling dust problem areas as well as controlling noise and offensive odors from the home site and during transport of excess dirt to any required stockpile site.

Section 4.11 Prohibited Uses and Activities.

The following items are prohibited in this community:

1. Concrete equipment cleaning or concrete dumping shall be confined to the home site and shall be removed prior to completion of home or a designated wash out area.
2. Removing any rocks, trees, plants, or topsoil from any portion of the property.
3. Careless use of cigarettes or flammable items.
4. Driving across any open space or non-designated construction areas.
5. Removal of excess dirt off the overall property if the ARC has designated an excess dirt stockpile site.

Architectural/Landscaping Request for Home Improvement For Home Place Ranch

The Architectural Review Committee shall approve or disapprove all requests within thirty (30) days after receipt of a complete submission. Please complete and forward two (2) copies of this request, along with two (2) copies of your proposed home improvements plans to:

Home Place Ranch Architectural Review Committee
c/o

(Owner submitted plans for work conducted after closing should be accompanied by a non-refundable \$50 check payable to the management company for ARC plan review)

Name _____ Date _____

Address _____

Home Phone _____ Work Phone _____

I would like to request approval for the following improvements to my property (attach additional pages as needed):

We estimate starting these improvements on _____

We estimate completion of these improvements on _____

Owner Signature _____ Date _____

Owner Signature _____ Date _____

LANDSCAPE PLAN CHECKLIST:

_____ **Landscape Plan at 1'=20' or 1'=30' scale**

_____ Lot lines, setbacks, easements, no-build areas

- _____ Building location, driveway, walks, patios, decks, stairs
- _____ Lawn or turf (type and location)
- _____ Proposed trees (types, sizes and locations)
- _____ Proposed shrubs and live groundcover (types, sizes, quantity and locations)
- _____ Mulch (type, size and location)
- _____ Retaining walls (height, material and location)
- _____ Berms or any other grade alterations

ANCILLARY IMPROVEMENTS CHECKLIST:

- _____ Privacy fencing (height, material and location)
- _____ Dog run / Dog house (size, materials and location)
- _____ Play equipment (type, material, color and location)
- _____ Sports equipment (type and location)
- _____ Accessory Structures – gazebo, storage shed, hot tub, etc. (elevation, size and location)
- _____ Exterior lighting (type, size and location)
- _____ Other (specify)